

DeadHash

Help documentation




Table of Contents

1. Introduction.....	3
2. System requirements.....	3
2.1 Windows.....	3
2.2 Linux.....	3
3. License.....	3
4. Support.....	3
5. Website.....	4
6. General warning.....	4
7. General functionality.....	5
7.1 File hashes.....	6
7.2 Text hashes.....	8
7.3 Settings.....	9
8. Frequently asked questions.....	10
8.1 Why can't I open an AppImage on my linux distribution?.....	10
8.2 How much does DeadHash cost?.....	10
8.3 Can I take a look at the source code behind DeadHash?.....	10
8.4 Where can I download DeadHash?.....	10
8.5 How can I report a bug?.....	10
8.6 Why does my antivirus warn me about DeadHash?.....	10
9. Extra.....	11

1. Introduction

DeadHash was created in order to help people verify downloaded applications and other files. You can also use DeadHash to generate hashes from text.

DeadHash was created by DeadLine. Icons and images were provided by material-ui:

<https://material-ui.com/>

You can find us on the web:

<https://codedead.com/>

2. System requirements

2.1 Windows

Requirement	Value
OS	Windows 7 and later (x64)
RAM	At least 100MB
Disk space	At least 260MB
Network	Required to check for updates. Can be disabled

2.2 Linux

Requirement	Value
OS	All distributions that support AppImage packages (x64)
RAM	At least 60MB
Disk space	At least 100MB
Network	Required to check for updates. Can be disabled

3. License

GNU General Public License 3:

<https://codedead.com/Software/DeadHash/gpl.pdf>

4. Support

If you need support, feel free to fill out the contact form on our website:

https://codedead.com/?page_id=145

5. Website

You can find us online by clicking on the link below:

<https://codedead.com/>

6. General warning

CodeDead.com, and its contributors assume no responsibility for errors or omissions in the software or documentation available from the CodeDead.com web site. In no event shall CodeDead.com and its contributors be liable to you or any third parties for any special, punitive, incidental, indirect or consequential damages of any kind, or any damages whatsoever, including, without limitation, those resulting from loss of use, data or profits, whether or not CodeDead.com, or its contributors have been advised of the possibility of such damages, and on any theory of liability, arising out of or in connection with the use of this software. The use of the software downloaded through the CodeDead.com site is done at your own discretion and risk and with agreement that you will be solely responsible for any damage to your or other computer systems or loss of data that results from such activities. No advice or information, whether oral or written, obtained by you from CodeDead.com, its website, or its contributors shall create any warranty for the software.

7. General functionality




Figure 1: DeadHash Main

DeadHash can generate the following hash types for both files and text:

- MD5
- SHA1
- SHA224
- SHA256
- SHA3
- SHA384
- SHA512
- RIPEMD160

7.1 File hashes




Figure 2: File hash

DeadHash can generate file hashes with ease, thanks to an easy-to-use graphical user-interface.

You can also compare the hashes of the input to a hash that is already known to you. The user-interface will tell you if it finds a match by displaying the matching hash in a green color.

The first step is to select a file, at which point you'll be able to click the 'Calculate' button in order to generate hashes. After the hashes have been generated, they'll be displayed in a list:




Figure 3: File hash output

7.2 Text hashes




Figure 4: Text hashes

DeadHash can be used to calculate text hashes. You can type as much text in the input field as is possible.

You can also compare the hashes of the input to a hash that is already known to you. The user-interface will tell you if it finds a match by displaying the matching hash in a green color.

The first step is to input text, at which point you'll be able to click the 'Calculate' button in order to generate hashes. After the hashes have been generated, they'll be displayed in a list:




Figure 5: Text hashes output

7.3 Settings




Figure 6: DeadHash settings

In the settings menu, you can adjust the types of hashes that will be generated, along with language specific options and theme options.

If required, you can also manually check for updates.

8. Frequently asked questions

8.1 Why can't I open an AppImage on my linux distribution?

Please make sure that the AppImage package is executable. You can do so, by changing the permissions of the file using the following command:

```
chmod +x filename
```

8.2 How much does DeadHash cost?

Absolutely nothing! It's free, granted you follow the conditions that are stated in the license of DeadHash. If you happen to have paid for this application, we suggest that you ask your money back as soon as possible!

8.3 Can I take a look at the source code behind DeadHash?

Absolutely. DeadHash is an open-source application. The source code can be found on GitHub: <https://github.com/CodeDead/DeadHash-js>

8.4 Where can I download DeadHash?

DeadHash can be download safely, without advertisements and trackers from the official website: <https://codedead.com/>

8.5 How can I report a bug?

If possible, please report any crashes or issues on our GitHub page here: <https://github.com/CodeDead/DeadHash-js/issues>

You can also contact us directly, by sending an email to admin@codedead.com or by using the contact form on our website: https://codedead.com/?page_id=145

8.6 Why does my antivirus warn me about DeadHash?

It is possible that your anti-virus falsely identifies DeadHash as malware. This is known as a false positive. Please contact your anti-virus support service if this is the case.

9. Extra

Table of Figures

Figure 1: DeadHash Main.....	5
Figure 2: File hash.....	6
Figure 3: File hash output.....	7
Figure 4: Text hashes.....	8
Figure 5: Text hashes output.....	8
Figure 6: DeadHash settings.....	9